

## **USB-C Docking Monitors**

Convenience of a single cable connection that does it all.



## Discover how USB Docking powers your work-life


#### With Philips USB-C Docking displays you will be able to:

- Extend your laptop autonomy without additional external power supply
- Plug all devices you need directly to the monitor thanks to docking
- Charge your phone and transfer your data at once
- Set up daisy chaining to your laptop
- Save space and money with one feature-rich solution at an attractive price
- **Secure** your business with a Philips pop-up retractable webcam which can be hidden into the monitor frame




### **Essential USB-C Connectivity**

A single USB-C can really change your user experience and the way you work. No more chargers, power and signal cables, the **one-for-all solution** delivers **up to 90W** to your laptop or smart devices and brings order to your digital workspace. Due to its success, almost all modern devices now feature USB-C, and are planned to do so in the future, making **USB-C connectivity an essential feature** for a professional monitor today. Philips monitors are tested to ensure compatibility with a wide range of laptop and phone brands and models.



## **USB-C** Docking


The best solution, designed for corporate and office environment, is the unique USB-C docking that **combines USB-C**, **RJ45** and **DP-out** for added convenience. This perfectly replaces any external bulky docking standalone, **reducing** unwanted clutter on the desks, but assuring high connectivity.



### **USB-C Pro Docking**

For professional users who need the **most advanced** and **comprehensive solution**, Philips designed monitors with a vertical hybrid docking that allows even more **versatile connectivity**. These monitors feature universal port replication and assure a higher quality power, data and audio/video delivery.

Part of our Pro Docking line-up, Philips monitors also provide solutions for users of laptops that can be connected only through the traditional USB-A. Hybrid monitors offer a **built-in USB docking station**, equipped with **DisplayLink** technology that feature universal port replication. This means that users gain access to office peripherals, including keyboard, mouse and **RJ-45 Ethernet cable**, through a single dual-mesh **USB cable with type C and type A connector.** 



#### Thunderbolt™ 4

One cable connection

Thunderbolt™ 4 technology provides lightning-fast **40Gbps data transfer speeds**, supplying high resolution video, multi-stream transport for **daisy chaining**, up to 90W power delivery for devices, and a **stable 1Gbit/s Ethernet connection**, all through one single cable. Thunderbolt™ 4 delivers a slim, reversible, **one-cable USB-C docking solution** to create a sleek, clutter-free desktop, greatly boosting productivity.



#### **Superior Image Quality**

Whether you are demanding professional requiring **extremely detailed images** for CAD solutions, using 3D graphics applications or a financial wizard working on huge spreadsheets, **Philips Pro Docking displays** will make your images and graphics come alive.



## **Secure Video Conferencing**

5MP built-in camera

Many of our Pro Docking monitors come with a built-in 5 MP webcam, noise-cancelling microphone, and speakers, making it perfect for working from home and collaborating remotely. Webcams certified for WindowsHello are equipped with advanced sensors for Windows Hello facial recognition, which conveniently logs you into your Windows devices in less than 2 seconds. Physical camera switches offer extra privacy when not in use, and noise-cancelling microphone and dual 5 watt integrated speakers deliver clear communications





### **Daisy Chaining**

Connect multiple screens with a single cable

Daisy chaining allows you to drive multiple monitors and devices from a single Thunderbolt port on your laptop. From the Thunderbolt port of your laptop you can connect to one of our Pro Docking monitors, then from the second Thunderbolt port on the monitor you can connect to a second monitor.

There are many benefits: daisy chaining reduces clutter on the desk, making the workstation free and neat, but also simplifies cable management, reducing the amount of cabling required to operate a complex multi-monitor set-up. Laptop users would particularly benefit from this setup, due to the limited outputs of recent laptops and small-PCs. Generally, monitor connection becomes much quicker, allowing professionals to immediately enjoy the extra screen space of multi-monitor setups.



#### How to daisy - chain instructional video



#### **UltraWide or Curved Displays**

Multiple desktops on one display

Whether working with spreadsheets or video content, screen size matters for professionals, with more screen real estate facilitating workflow and aiding **multi-tasking** for added productivity. An **UltraWide format** enables more productivity with extra room for sideby-side comparisons and additional viewable spreadsheet columns. Our professional curved monitors are specifically shaped to **mimic the natural curve of the eye**, minimising distortion and reducing distraction while creating a subtly **immersive effect** that draws you in.

#### 24351

### Simply your connections

#### with USB-C docking monitor

















The Philips USB-C monitor replaces cable clutter. View FHD image and re-charge a laptop, all at the same time with a single USB-C cable. Features like Daisy chain for multi-display setup, Eye comfort with TUV certified to reduce eye fatigue

#### 27B1U7903

### Simply brilliant

#### Mini LED with Thunderbolt docking















Philips Thunderbolt™ 4 monitor delivers a secure, reliable one-cable docking solution. Mini LED backlit and DisplayHDR™ 1400 certified display generates outstanding picture performance and color accuracy for color-critical users.

#### 40B1U5601H

### Beyond well-equipped















This USB-C monitor is for video watching, data transfer and power delivery. The integrated 5MP webcam delivers sharp images, and the noise cancelling mic lets people hear you clearly. Windows Hello Webcam for quick access and strong security.

#### 49B2U6900CH

### Redefining workflow productivity















This monitor is designed with everything you need for a collaborative remote workspace. Its webcam fashions new features like auto-framing, a busy light, and an adjustable webcam for an unmatched video conferencing experience.



#### 49B2U6900CH

|   | 43B200300CH                           |
|---|---------------------------------------|
| Docking technology                                    | USB-C docking                         |
| Screen size   | 48.8 inch/124 cm                      |
| Panel   | VA                                    |
| Resolution  | 5120x1440                             |
| Refresh Rate  | 70Hz                                  |
| Repsonse Time   | 4                                     |
| PowerSensor/LightSensor                               | Power/Light sensor                    |
| Webcam/Microphone                                     | Yes/Yes                               |
| Speakers  | Yes                                   |
| Tilt  | -5/15                                 |
| Pivot   |                                       |
| Swivel  | -30/30                                |
| Height Adjustment                                     | 130mm                                 |
| VGA   | 0                                     |
| DVI   | 0                                     |
| HDMI  | 2x 2.0                                |
| DisplayPort   | 1x1.4                                 |
| DisplayPort Out                                       | · · · · · · · · · · · · · · · · · · · |
| USB Type  | USB-A and USB-C                       |
| USB version / Generation Speed                        | USB-C 3.2 Gen2 (HBR3)                 |
| USB upstream  | 2xUSB-C                               |
| USB downstream  | 4 x USB-A / 1 x USB-C                 |
| USB fast charge                                       | Yes                                   |
| USB-C   | USB3.2, Gen2                          |
| Daisy Chain (Display Port Out / Thun-<br>derbolt Out) |                                       |
| RJ45  | Ethernet LAN up to 2.5G               |
| Power supply  | Internal                              |
| EPEAT   | Yes, TBC                              |
| TCO Edge  | TCO Edge                              |
| Energy star (EPA)                                     | EnergyStar 8                          |
|   |                                       |



#### 49B2U5900CH

| USB-C docking                                |
|--|
| 48.8 inch/124 cm                             |
| VA   |
| 5120x1440                                    |
| 70Hz   |
| 5  |
| Power/Light sensor                           |
| Yes/Yes                                      |
| Yes  |
| -5/15  |
| <u>-                                    </u> |
| -30/30                                       |
| 130mm  |
| 0  |
| 0  |
| 1x 2.0                                       |
| 1x1.4  |
|  |
| USB-A /USB-B/USB-C                           |
| USB 3.2 Gen 1 / 5 Gbps                       |
| USB-B / USB-C                                |
| 2 x USB-A / 1 x USB-C                        |
| Yes  |
| USB 3.2 Gen 1                                |
| -/   |
| Ethernet LAN up to 1G                        |
| Internal                                     |
| Yes, TBC                                     |
| TCO Edge                                     |
| EnergyStar 8                                 |
|  |



EnergyStar 8

| Docking technology                                  | USB-C Docking   |  |
|---|---|--|
| Diagonal  | 44,5"   |  |
| Panel   | VA  |  |
| Resolution  | 5120x1440   |  |
| Refresh Rate  | 75Hz  |  |
| Repsonse Time                                       | 4   |  |
| PowerSensor/LightSensor                             | Yes   |  |
| Sync technology                                     | Adaptive Sync   |  |
| Webcam  | Pop-up 5.0 megapixel QHD camera with Digital microphone x 2 and LED indicator (Windows 10 Hello) with noise cancelling    |  |
| Speakers  | 5W x 2  |  |
| Tilt  | -5/15   |  |
| Pivot   | No  |  |
| Swivel  | -45/45  |  |
| Height Adjustment                                   | 150mm   |  |
| VGA   | 0   |  |
| DVI   | 0   |  |
| ндмі  | 2x2.0   |  |
| DisplayPort   | 1x1.4   |  |
| DisplayPort Out                                     | No  |  |
| USB Type  | USB-A and USB-B and USB-C   |  |
| USB version / Generation Speed                      | USB 3.2 Gen 2 / 10 Gbps   |  |
| USB upstream  | USB-C   |  |
| USB downstream                                      | 4 x USB-A and 1 x USB-C   |  |
| USB fast charge                                     | Yes   |  |
| USB-C   | 2*USB-C 3.2, Gen2 HBR3 upstream(data, power delivery, DP-Alt)/USB-C 3.2 Gen2 Downstream<br>(data only and power delivery) |  |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | No  |  |
| RJ45  | Yes   |  |
| Power supply  | Internal  |  |
| EPEAT   | Yes, TBC  |  |
| тсо   | 9.0   |  |
| TCO Edge  |   |  |
|   |   |  |

Energy star (EPA)







|  | U5 |  |
|--|----|--|
|  |    |  |
|  |    |  |

| USB-C Docking  | USB-C Docking   | USB-C Docking  |
|--|---|--|
| 44,5"  | 40"   | 40"  |
| VA   | IPS   | IPS  |
| 5120x1440  | 5120x2160   | 3440x1440  |
| 75Hz   | 75Hz  | 100Hz  |
| 4  | 4   | 4  |
| Yes  | Yes   | Yes  |
| Adaptive Sync  | Adaptive Sync   | ТВС  |
| No   | Pop-up 5.0 megapixel QHD camera with Dig-<br>ital microphone x 2 and LED indicator (Win-<br>dows 10 Hello) with noise cancelling        | Pop-up 5.0 megapixel QHD camera with<br>Digital microphone x 2 and LED indicator<br>(Windows 10 Hello) with noise cancelling |
| 5W x 2   | 5W x 2  | 5W x 2   |
| -5/15  | -5/15   | -5/30  |
| No   | No  | No   |
| -45/45   | -45/45  | -180/180   |
| 150mm  | 150mm   | 150mm  |
| 0  | 0   | 0  |
| 0  | 0   | 0  |
| 2x2.0  | 2x 2.0  | 1x 2.0   |
| 1x1.4  | 1x1.4   | 1x1.4  |
| No   | No  | Yes  |
| USB-A and USB-B and USB-C  | USB-A and USB-B and USB-C   | USB-A and USB-C  |
| USB 3.2 Gen 1 / 5 Gbps   | USB 3.2 Gen 2 / 10 Gbps   | USB 3.2 Gen 2 / 10 Gbps  |
| USB-B and USB-C  | USB-B and USB-C   | USB-C  |
| 4 x USB-A and 1 x USB-C  | 4 x USB-A and 1 x USB-C   | 4 x USB-A and 1 x USB-C  |
| Yes  | Yes   | Yes  |
| USB-C 3.2, Gen1 HBR3 upstream(data, power<br>delivery, DP-Alt)/USB-C 3.2 Gen1 Downstream<br>(data only and power delivery) | ThunderBolt 4 UP (5120x2160, @75Hz with DSC,<br>@60Hz w/o DSC)/ThunderBolt4 down (75Hz with<br>DSC, 30Hz w/o DSC) + USB-C 3.2 gen2 down | 2*USB-C 3.2, Gen2 HBR3 upstream(data, power<br>delivery, DP-Alt)/USB-C 3.2 Gen2 Downstream<br>(data only and power delivery) |
| No   | Yes   | Yes  |
| Yes  | Yes   | Yes  |
| Internal   | Internal  | Internal   |
| Yes, TBC   | Yes, TBC  | Yes, TBC   |
| 9.0  | 9.0   | -  |
| - // -   | •   |  |
| EnergyStar 8   | EnergyStar 8  | EnergyStar 8   |



EnergyStar 8

| Docking technology                                  | USB-C Docking   |  |
|---|---|--|
| Diagonal  | 34"   |  |
| Panel   | VA  |  |
| Resolution  | 3440x1440   |  |
| Refresh Rate  | 100Hz   |  |
| Repsonse Time                                       | 4   |  |
| PowerSensor/LightSensor                             | Yes   |  |
| Sync technology                                     | TBC   |  |
| Webcam  | 5.0 megapixel QHD camera with noise cancelation (Windows 10 Hello) /<br>Pop up webcam   |  |
| Speakers  | 5W x 2  |  |
| Tilt  | YES TBC   |  |
| Pivot   | No  |  |
| Swivel  | -180/180  |  |
| Height Adjustment                                   | 180mm   |  |
| VGA   | 0   |  |
| DVI   | 0   |  |
| НОМІ  | 1x 2.0  |  |
| DisplayPort   | 1x1.4   |  |
| DisplayPort Out                                     | No  |  |
| USB Type  | USB-A and USB-C   |  |
| USB version / Generation Speed                      | USB 3.2 Gen 2 / 10 Gbps   |  |
| USB upstream  | USB-C   |  |
| USB downstream                                      | 4 x USB-A and 1 x USB-C   |  |
| USB fast charge                                     | Yes   |  |
| USB-C   | Upstream: USB-C 3.2 HBR3 gen2 (data,power delivery, DP-Alt) , USB-C 3.2 gen2 (data)/ down-<br>stream USB-C 3.2 gen2 (data and power delivery) |  |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | No  |  |
| RJ45  | Yes   |  |
| Power supply  | Internal  |  |
| EPEAT   | Yes, TBC  |  |
| тсо   | 9.0   |  |
| TCO Edge  | 2.0   |  |

Energy star (EPA)







| $\sim$ | <b>D</b> 4 | _ | - | -   |
|--------|------------|---|---|-----|
| ,,,    | <b>R1</b>  |   | u | 1 ) |
|        |            |   |   |     |

| USB-C Docking   | USB-C Docking   | USB-C Docking                                 |  |
|---|---|---|--|
| 27"   | 23,8"   | 27"   |  |
| IPS   | IPS   | IPS   |  |
| 2560x1440   | 1920×1080   | 3840x2160                                     |  |
| 75Hz  | 75Hz  | 60Hz  |  |
| 4   | 4   | 4   |  |
| Yes   | Yes   | Yes   |  |
| ТВС   | TBC   | Adaptive Sync                                 |  |
| 5.0 megapixel QHD camera with noise cancel-<br>ation (Windows 10 Hello) / Pop up webcam   | 5.0 megapixel QHD camera with noise cancel-<br>ation (Windows 10 Hello) / Pop up webcam   | No  |  |
| 5W x 2  | 5W x 3  | 3W x 2  |  |
| YES TBC   | YES TBC   | -5/15   |  |
| -/+ 90 graden   | -/+ 90 graden   | Yes   |  |
| -180/180  | -180/180  | -45/45  |  |
| 150mm   | 150mm   | 130mm   |  |
| 0   | 0   | 0   |  |
| 0   | 0   | 0   |  |
| 1x1.4   | 1x1.4   | 2x2.0   |  |
| 1x1.4   | 1x1.4   | 1x1.4   |  |
| Yes   | Yes   | No  |  |
| USB-A and USB-C   | USB-A and USB-C   | USB-A and USB-C                               |  |
| USB 3.2 Gen 2 / 10 Gbps   | USB 3.2 Gen 2 / 10 Gbps   | USB 3.2 Gen 2 / 10 Gbps                       |  |
| USB-C   | USB-C   | USB-C   |  |
| 4 x USB-A and 1 x USB-C   | 4 x USB-A and 1 x USB-C   | 4 x USB-A and 1 x USB-C                       |  |
| Yes   | Yes   | Yes   |  |
| Upstream: USB-C 3.2 HBR3 gen2 (data,pow-<br>er delivery, DP-Alt) , USB-C 3.2 gen2 (data)/<br>downstream USB-C 3.2 gen2 (data and power<br>delivery) | Upstream: USB-C 3.2 HBR3 gen2 (data,pow-<br>er delivery, DP-Alt) , USB-C 3.2 gen2 (data)/<br>downstream USB-C 3.2 gen2 (data and power<br>delivery) | Thunderbolt 4 (Upstream, Data, Video, PD 90W) |  |
| Yes   | Yes   | No  |  |
| Yes   | Yes   | Yes   |  |
| Internal  | Internal  | Internal                                      |  |
| Gold  | Gold  |   |  |
| 9.0   | 9.0   |   |  |
| 2.0   | 2.0   |   |  |
| EnergyStar 8  | EnergyStar 8  | •   |  |





439P1

#### 346P1CRH

|   | 4331 1                    | 346P1CKH                     |
|---|---------------------------|------------------------------|
| Docking technology                                  | USB-C docking             | USB-C docking                |
| Diagonal  | 42,5                      | 34                           |
| Panel   | VA                        | VA                           |
| Resolution  | 3840x2160                 | 3440x1440                    |
| Refresh Rate  | 60Hz                      | 100Hz                        |
| Repsonse Time                                       | 5                         | 4                            |
| PowerSensor/LightSensor                             | -                         | Yes                          |
| Sync technology                                     | Adaptive Sync             | Adaptive Sync                |
| Webcam  |                           | "Pop-Up Windows<br>10 Hello" |
| Speakers  | 5W x 2                    | 5W x 2                       |
| Tilt  | -5/20                     | -5/25                        |
| Pivot   | -                         | -                            |
| Swivel  | -45/45                    | -180/180                     |
| Height Adjustment                                   | 100mm                     | 180mm                        |
| VGA   | 0                         | 0                            |
| DVI   | 0                         | 0                            |
| номі  | 2xHDMI2.0, 1xHDMI1.4      | 1x2.0                        |
| DisplayPort   | 1x1.4                     | 1x1.4                        |
| DisplayPort Out                                     | No                        | No                           |
| USB Type  | USB-A and USB-B and USB-C | USB-A and USB-B and USB-C    |
| USB version / Generation Speed                      | USB 3.2 Gen 2 / 10 Gbps   | USB 3.2 Gen 2 / 10 Gbps      |
| USB upstream  | USB-B and USB-C           | USB-B and USB-C              |
| USB downstream                                      | 4 x USB-A and 1 x USB-C   | 4 x USB-A                    |
| USB fast charge                                     | Yes                       | Yes                          |
| USB-C   | USB 3.2 Type-C            | USB 3.2 Type-C               |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | No                        | No                           |
| RJ45  | Yes                       | Yes                          |
| Power supply  | Internal                  | Internal                     |
| EPEAT   | -                         | Silver                       |
| тсо   | -                         | -                            |
| TCO Edge  |                           | -                            |
| Energy star (EPA)                                   | EnergyStar 8              | EnergyStar 8                 |
|   |                           |                              |







| _ | - |   | <b>D</b> |     |
|---|---|---|----------|-----|
| ~ | • | ч | ν.       | 1 H |
| _ | _ | _ |          |     |

| <br><i>,</i> ч | _ |  |
|----------------|---|--|
|                |   |  |

| 3201 111                   | 3231 111                         | 27311                   |
|----------------------------|----------------------------------|-------------------------|
| USB-C docking              | USB-C docking                    | USB-C docking           |
| 31.5                       | 31,5                             | 27                      |
| IPS                        | IPS                              | IPS                     |
| 2560x1440                  | 3840x2160                        | 3840x2160               |
| 75Hz                       | 60Hz                             | 60Hz                    |
| 4                          | 4                                | 4                       |
| Yes                        | Yes                              | Yes                     |
| Adaptive Sync              | Adaptive Sync                    | Adaptive Sync           |
| Pop-Up Windows<br>10 Hello | Windows Hello Webcam<br>10 Hello | -                       |
| 5W x 2                     | 5W x 2                           | 3W x 2                  |
| -5/25                      | -5/25                            | -5/30                   |
| Yes                        | Yes                              | Yes                     |
| -180/180                   | -180/180                         | -180/180                |
| 180mm                      | 180mm                            | 150mm                   |
| 0                          | 0                                | 0                       |
| 0                          | 0                                | 0                       |
| 2x1,4                      | 2x1,4                            | 2x2,0                   |
| 1x1.4                      | 1x1.4                            | 1x1.4                   |
| Yes                        | Yes                              | No                      |
| USB-A and USB-C            | USB-A and USB-C                  | USB-A and USB-C         |
| USB 3.2 Gen 1 / 5 Gbps     | USB 3.2 Gen 1 / 5 Gbps           | USB 3.2 Gen 2 / 10 Gbps |
| USB-C                      | USB-C                            | USB-C                   |
| 4 x USB-A                  | 4 x USB-A                        | 4 x USB-A               |
| Yes                        | Yes                              | Yes                     |
| USB-C 3.2 (HBR3)           | USB-C 3.2 (HBR3)                 | USB-C 3.2 (HBR3)        |
| Yes                        | Yes                              | No                      |
| Yes                        | Yes                              | Yes                     |
| Internal                   | Internal                         | Internal                |
| Silver                     | Silver                           | Gold                    |
| 9,0                        | 9,0                              | 9,0                     |
| TCO Edge                   | TCO Edge                         | TCO Edge                |
| EnergyStar 8               | EnergyStar 8                     | EnergyStar 8            |





#### 329P9H

#### 499P9H

| Docking technology                                  | USB-C docking             | USB-C docking   |  |
|---|---------------------------|---|--|
| Diagonal  | 48,8                      | 31.5  |  |
| Panel   | VA                        | IPS   |  |
| Resolution  | 5120x1440                 | 3840x2160   |  |
| Refresh Rate  | 70Hz                      | 60Hz  |  |
| Repsonse Time                                       | 5                         | 5   |  |
| PowerSensor/LightSensor                             | -                         | Power/Light sensor  |  |
| Sync technology                                     | Adaptive Sync             | -   |  |
| Webcam  | Pop-Up Windows 10 Hello   | Pop-up 2.0 megapixel FHD camera with<br>microphone and LED indictor (for Windows<br>10 Hello) |  |
| Speakers  | 5W x 2                    | 3W x 2  |  |
| Tilt  | -5/10                     | -5/25   |  |
| Pivot   |                           | Yes   |  |
| Swivel  | -20/20                    | -175/175  |  |
| Height Adjustment                                   | 130mm                     | 180mm   |  |
| VGA   | 0                         | -   |  |
| DVI   | 0                         | -   |  |
| HDMI  | 2x2.0                     | 2x2.0   |  |
| DisplayPort   | 1x1.4                     | 1x1.2   |  |
| DisplayPort Out                                     | No                        | Yes   |  |
| USB Type  | USB-A and USB-B and USB-C | USB-C   |  |
| USB version / Generation Speed                      | USB 3.2 Gen 2 / 10 Gbps   | USB-C 3.1 Gen 1   |  |
| USB upstream  | USB-B and USB-C           | USB-C   |  |
| USB downstream                                      | 3 x USB-A                 | 2 x USB 3.1 Gen 2   |  |
| USB fast charge                                     | Yes                       | Yes   |  |
| USB-C   | USB-C 3.1 Gen2            | USB 3.1   |  |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | No                        | Yes   |  |
| RJ45  | Yes                       | Yes   |  |
| Power supply  | Internal                  | Internal  |  |
| EPEAT   | Silver                    | Silver  |  |
| тсо   | 9,0                       | 9,0   |  |
| TCO Edge  | TCO Edge                  | TCO Edge  |  |
| Energy star (EPA)                                   | EnergyStar 8              | EnergyStar 8  |  |









| 241 | <b>D</b> 7 | $\sim$ 11 |     |     |
|-----|------------|-----------|-----|-----|
| 741 | K/         |           | IPK | FK. |
|     |            |           |     |     |

| 241 |  |  |  |
|-----|--|--|--|

| 328P6AUBREB       | 272B7QUBHEB                    | 241B7QUPBEB       | 241B7QUBHEB                    |
|-------------------|--------------------------------|-------------------|--------------------------------|
| USB-C docking     | Hybrid USB-C and USB-A docking | USB-C docking     | Hybrid USB-C and USB-A docking |
| 31,5              | 27                             | 23,8              | 23,8                           |
| IPS               | IPS                            | IPS               | IPS                            |
| 2560x1440         | 2560x1440                      | 1920x1080         | 1920x1080                      |
| 60Hz              | 75Hz                           | 60Hz              | 75Hz                           |
| 4                 | 5                              | 5                 | 5                              |
| -                 | PowerSensor                    | PowerSensor       | PowerSensor                    |
| -                 | -                              | -                 | -                              |
| -                 | "Pop-Up Windows<br>10 Hello"   | /-/               | Pop-Up Windows<br>10 Hello     |
| 3W x 2            | 2W x 2                         | 2W x 2            | 2W x 2                         |
| -5/20             | -5/30                          | -5/30             | -5/30                          |
| Yes               | Yes                            | Yes               | Yes                            |
| -170/170          | -175/175                       | -175/175          | -175/175                       |
| 180mm             | 150mm                          | 150mm             | 150mm                          |
| 1                 | 0                              | 1                 | 0                              |
| 0                 | 0                              | 0                 | 0                              |
| 1x2.0             | 1                              | 1                 | 1                              |
| 1x1.2             | 1x1.2                          | 1x1.2             | 1x1.2                          |
| Yes               | Yes                            | Yes               | Yes                            |
| USB 3.0 and USB-C | USB-A and USB-C                | USB 3.0 and USB-C | USB-A and USB-C                |
| USB-C 3.1 Gen 1   | USB 3.2 Gen 2 / 10 Gbps        | USB-C 3.1 Gen 2   | USB 3.2 Gen 2 / 10 Gbps        |
| USB-C             | USB-C                          | USB-C             | USB-C                          |
| 2 x USB 3.1 Gen 1 | 4 x USB-A                      | 2 x USB 3.0       | 4 x USB-A                      |
| Yes               | Yes                            | Yes               | Yes                            |
| USB 3.1 Type-C    | USB 3.2 Type-C                 | USB 3.1 Type-C    | USB 3.2 Type-C                 |
| Yes               | Yes                            | Yes               | Yes                            |
| Yes               | Yes                            | Yes               | Yes                            |
| Internal          | Internal + DC out              | External          | Internal + DC out              |
| Silver            | Gold                           | Gold              | -                              |
|                   | 9,0                            | 9,0               | 9,0                            |
|                   | TCO Edge                       | TCO Edge          | TCO Edge                       |
| EnergyStar 8      | EnergyStar 8                   | EnergyStar 8      | EnergyStar 8                   |





#### 346B1C

#### 276B1JH

|   | 346B1C                    | 276B1JH                      |
|---|---------------------------|------------------------------|
| Docking technology                                  | USB-C docking             | USB-C docking                |
| Diagonal  | 34                        | 27                           |
| Panel   | VA                        | IPS                          |
| Resolution  | 3440x1440                 | 2560x1440                    |
| Refresh Rate  | 100Hz                     | 75Hz                         |
| Repsonse Time                                       | 5                         | 4                            |
| PowerSensor/LightSensor                             | Yes                       | Yes                          |
| Sync technology                                     | Adaptive Sync             | х                            |
| Webcam  | х                         | "Pop-Up Windows<br>10 Hello" |
| Speakers  | 5W x 2                    | 3W x 2                       |
| Tilt  | -5/30                     | -5/35                        |
| Pivot   | х                         | Yes                          |
| Swivel  | -180/180                  | -180/180                     |
| Height Adjustment                                   | 180mm                     | 150mm                        |
| VGA   | 0                         | 0                            |
| DVI   | 0                         | 0                            |
| HDMI  | 1x2.0                     | 1x1.4                        |
| DisplayPort   | 1x1.2                     | 1x1.4                        |
| DisplayPort Out                                     | No                        | Yes                          |
| USB Type  | USB-A and USB-B and USB-C | USB-A and USB-C              |
| USB version / Generation Speed                      | USB 3.2 Gen 1 / 5 Gbps    | USB 3.2 Gen 1 / 5 Gbps       |
| USB upstream  | USB-B and USB-C           | USB-C                        |
| USB downstream                                      | 4 x USB-A                 | 4 x USB-A                    |
| USB fast charge                                     | Yes                       | Yes                          |
| USB-C   | USB 3.2 Type-C            | 2xUSB 3.2 Type-C (HBR3)      |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | No                        | Yes                          |
| RJ45  | Yes                       | Yes                          |
| Power supply  | Internal                  | Internal + DC out            |
| EPEAT   | Silver                    | Gold                         |
| тсо   | 9,0                       | 9,0                          |
| TCO Edge  | х                         | TCO Edge                     |
| Energy star (EPA)                                   | EnergyStar 8              | EnergyStar 8                 |
|   |                           |                              |







276B1

243B1JH

243B1

| 27001                  | 24301311                     |                         |
|------------------------|------------------------------|-------------------------|
| USB-C docking          | USB-C docking                | USB-C docking           |
| 27                     | 23,8                         | 23,8                    |
| IPS                    | IPS                          | IPS                     |
| 2560x1440              | 1920×1080                    | 1920x1080               |
| 75Hz                   | 75Hz                         | 75Hz                    |
| 4                      | 4                            | 4                       |
| Yes                    | Yes                          | Yes                     |
| Adaptive Sync          | ×                            | Adaptive Sync           |
| х                      | "Pop-Up Windows<br>10 Hello" | х                       |
| 2W x 2                 | 3W x 2                       | 2W x 2                  |
| -5/35                  | -5/35                        | -5/35                   |
| Yes                    | Yes                          | Yes                     |
| -180/180               | -180/180                     | -180/180                |
| 150mm                  | 150mm                        | 150mm                   |
| 0                      | 0                            | 0                       |
| 0                      | 0                            | 0                       |
| 1x1,4                  | 1                            | 1                       |
| 1x1.4                  | 1x1.4                        | 1x1.4                   |
| Yes                    | Yes                          | Yes                     |
| USB-A and USB-C        | USB-A and USB-C              | USB-A and USB-C         |
| USB 3.2 Gen 1 / 5 Gbps | USB 3.2 Gen 1 / 5 Gbps       | USB 3.2 Gen 2 / 10 Gbps |
| USB-C                  | USB-C                        | USB-C                   |
| 4 x USB-A              | 4 x USB-A and 1 x USB-C      | 4 x USB-A               |
| Yes                    | Yes                          | Yes                     |
| USB 3.2 Type C (HBR3)  | 2xUSB 3.2 Type-C (HBR3)      | USB 3.2 Type-C (HBR3)   |
| Yes                    | Yes                          | Yes                     |
| Yes                    | Yes                          | Yes                     |
| Internal               | Internal                     | Internal                |
| Gold                   | Gold                         | Gold                    |
| 9,0                    | 9,0                          | 9,0                     |
| TCO Edge               | TCO Edge                     | TCO Edge                |
| EnergyStar 8           | EnergyStar 8                 | EnergyStar 8            |





|   | 243S1                  | 27351                  |
|---|------------------------|------------------------|
| Docking technology                                  | USB-C Docking          | USB-C Docking          |
| Diagonal  | 23,8"                  | 27                     |
| Panel   | IPS                    | IPS                    |
| Resolution  | 1920x1080              | 1920x1080              |
| Refresh Rate  | 75Hz                   | 75Hz                   |
| Repsonse Time                                       | 4                      | 4                      |
| PowerSensor/LightSensor                             | No                     | No                     |
| Sync technology                                     | Х                      | Adaptive Sync          |
| Webcam  | No                     | NO                     |
| Speakers  | 2W x 2                 | 2W x 2                 |
| Tilt  | -5/25                  | -5/25                  |
| Pivot   | Yes                    | Yes                    |
| Swivel  | -180/180               | -180/180               |
| Height Adjustment                                   | 130mm                  | 130mm                  |
| VGA   | 0                      | 0                      |
| DVI   | 0                      | 0                      |
| НОМІ  | 1x1.4                  | 1x1.4                  |
| DisplayPort   | 1x1.2                  | 1x1.2                  |
| DisplayPort Out                                     | Yes                    | Yes                    |
| USB Type  | USB-A and USB-C        | USB-A and USB-C        |
| USB version / Generation Speed                      | USB 3.2 Gen 1 / 5 Gbps | USB 3.2 Gen 1 / 5 Gbps |
| USB upstream  | USB-C                  | USB-C                  |
| USB downstream                                      | 4 x USB-A              | 4 x USB-A              |
| USB fast charge                                     | Yes                    | Yes                    |
| USB-C   | 1x USB-C (DP Alt)      | 1x USB-C (DP Alt)      |
| Daisy Chain (Display Port Out / Thunderbolt<br>Out) | Yes                    | Yes                    |
| RJ45  | Yes                    | Yes                    |
| Power supply  | Internal               | Internal               |
| EPEAT   | Yes, TBC               | Silver                 |
| тсо   | 9,0                    | 9,0                    |
| TCO Edge  | TCO Edge               | TCO Edge               |
| Energy star (EPA)                                   | EnergyStar 8           | EnergyStar 8           |
|   |                        |                        |



## USB-C Docking The ideal solution for modern workspaces.

